

# (12) UK Patent Application (19) GB (11) 2 328 311 (13) A

(43) Date of A Publication 17.02.1999

(21) Application No 9717053.4

(22) Date of Filing 13.08.1997

(71) Applicant(s)  
**Barcrest Limited**  
(Incorporated in the United Kingdom)  
Margaret Street, Ashton-under-Lyne, Lancashire,  
OL7 0QQ, United Kingdom

(72) Inventor(s)  
**Dov Liam Randall**

(74) Agent and/or Address for Service  
**Wilson Gunn McCaw & Co.**  
41-51 Royal Exchange, Cross Street, MANCHESTER,  
M2 7BD, United Kingdom

(51) INT CL<sup>6</sup>  
**G07F 17/34**


(52) UK CL (Edition Q.)  
**G4V VAA V118**

(56) Documents Cited  
**GB 2226907 A GB 2222712 A**

(58) Field of Search  
UK CL (Edition P) **G4V VAA VBK**  
INT CL<sup>6</sup> **G07F 17/32 17/34**  
**ONLINE**

(54) Abstract Title  
**An entertainment machine**

(57) An entertainment machine 1 that selects a combination of symbols and displays them at a win zone 11, a win indication including an evaluation of a win award in relation to a stake made 20, is characterised by the provision of player controls 6a, 6b operable to select independently, from specified ranges a stake enhancement factor 18 and a game win mode 17. Symbols may be in the form of a 3x3 matrix 11 with up to five win lines, or a 4x3 matrix. The win mode may include lines or other arrangements in which symbol combinations are assessed for a win evaluation. All combinations of symbols, one taken from each column 9 in a 3x3 matrix may be chosen. The win mode 17 may be; determined by the presence of special symbols, related to losing game awards, or may not be related to displayed symbol combinations, including losing game awards. Preferably, the enhancement factor has a selection of numerical multipliers applied to all or selected wins. The controls 6a, 6b for the win mode 17 and enhancement factor 18 may be separate. Both controls 6a, 6b can be available; at the start of every game, after the game has started, or only in some games. One control may be partially available during a game. The win mode 17 and enhancement factor 18 may be displayed visually. The enhancement factor 18 can be applied to all or part of the available stake 20. Preferably, a pay out percentage 21 can be varied and displayed numerically. Preferably, a control system (12 figure 3) determines a variable win likelihood that is linked to the win mode and enhancement factor. The likelihood may be displayed numerically along side the win mode and stake enhancement factor.






At least one drawing originally filed was informal and the print reproduced here is taken from a later filed formal copy.

The claims were filed later than the filing date within the period prescribed by Rule 25(1) of the Patents Rules 1995

GB 2 328 311 A

BEST AVAILABLE COPY





**FIG. 2**

ENTERTAINMENT MACHINES

This invention relates to a coin-operated entertainment machine, particularly an amusement or gaming machine of the 'fruit' or 'poker' kind, which is operable by a player to play a game in which a combination of symbols is selected and displayed at a win zone. As used herein, the term  
5 coin-operated is intended to cover operation by coins, tokens, bank notes, credit cards, cash cards, pre-paid cards or any other form of monetary value.

A known 'fruit' or 'poker' machine has three symbol-bearing reels (or  
10 video simulations thereof) rotatable about a common horizontal axis behind a window. When stopped, each reel displays three symbols through the window centred on a horizontal win line. A win is awarded in the event that the combination of symbols on the win line is a predetermined winning combination.

15 It is also known for a win to be awarded if the symbol combination on one or more other lines of the displayed 3x3 matrix of symbols is a predetermined winning combination. With a 3x3 matrix there are 5 possible straight lines (three horizontal and two diagonal) which include all three reels, and it is known to use some or all of these as win lines. It is also  
20 known to award wins in relation to any combination of symbols selected from the three reels in any positions within the 3x3 matrix which gives 27 winning possibilities.

When a win is awarded, a value may be attributed to this based on the kind of win and a multiplication factor applied to the stake made by the player at the start of the game.

5       The likelihood of winning is determined by the control system of the machine for a particular stake multiplication factor in relation to a desired award payout percentage. Thus, if the stake multiplication factor is high and there is a relatively high number of ways of winning (e.g. the above mentioned 27 combinations) then there must be a relatively high weighting against the attainment of a win. A high win award is made available to the  
10       player but the likelihood of attaining this is low.

It is known to give the player the opportunity of influencing the available magnitude and likelihood of award with the aim of enhancing entertainment value, and to enable the player to select the risk which he wishes to take. However, hitherto such opportunities have been of limited  
15       value and, in particular, have involved the use of a single player-operable selector control.

An object of the present invention is to provide enhanced opportunities for player intervention or participation with regard to win opportunities and stake multiplication.

20       According to one aspect of the present invention therefore there is provided a coin-operated entertainment machine which is operable by a player to play a game in which a combination of symbols is selected and

displayed at a win zone, and a win indication is given in the event that an outcome of said game is of a predetermined winning nature, said win indication including an evaluation of a win award determined in relation to a stake made for the said game, characterised by the provision of player controls operable to select independently, from respective ranges thereof, a stake enhancement factor and a game win mode.

With this arrangement, the player is given the opportunity of selecting independently the game win mode used for win evaluation purposes and also the stake enhancement factor. The player therefore has the possibility of choosing a desired level of risk on the basis of both win mode and stake enhancement whereby the player is given an increased opportunity of intervention and participation in the manner of operation of the machine.

Most preferably the machine is of the kind with which symbols are selected and displayed in a matrix, in a plurality of rows and columns whereby the said selection of game win mode may constitute or include selection of the ways in which symbol combinations are assessed for win evaluation purposes within the matrix. In particular, the player can be given the opportunity of determining which lines of symbols or which other arrangements are taken into account.

There may be a 3x3 matrix of displayed symbols whereby up to 5 lines (three across and two diagonal) may be used as win lines, such as may be the case with a conventional arrangement of three side-by-side symbol

bearing reels rotatable behind a window (or video simulations thereof).

Also, as mentioned above, the player may also opt to take into account all combinations of three symbols taken one from each column in the 3x3 matrix giving 27 ways of winning.

5           Other arrangements, e.g. involving a 4x3 matrix, such as is the case with a conventional 4 reel machine, may be used.

In this context there may be a said player control which is operable by the player to select, at the will of the player, the number of lines to be used as win lines, say 1, 3 or 5 in the case of the 3x3 matrix, and/or other  
10 ways of attaining winning combinations such as the 27 ways mentioned above.

Alternatively or additionally the said selection of game win mode may also comprise selection of a win mode determined by the presence of special symbols (such as symbols giving entry to a supplementary 'feature'  
15 game or other special awards).

The player may also be given the opportunity of selecting availability of award opportunities not related to displayed symbol combinations, such as losing game awards.

With regard to the stake enhancement factor, there may be a said  
20 player control which is operable by the player to select, at the will of the player, a numerical multiplier of say x1, x2, x3, x5, x10 and this may be applied to all wins, or only to selected wins.

The said player controls may consist of physically separate buttons or switches, one for the win mode, and the other for the stake enhancer. Alternatively there may be a single control which is operable in independent states respectively relating to the win mode and the stake enhancer.

5           The player controls may be made wholly available at the start of every game. Alternatively different availability may be utilised including for example availability at a different point in the game, availability in only some games as selected on a random or predetermined basis, partial availability during a game whereby for example on some occasions only one of the win  
10       mode and stake enhancer may be available for selection.

The selection made may be applied to all or only a part of the available stake or player credit.

Most preferably the machine is provided with an appropriate visual display, for example in the form of one or more ladder displays, indicating,  
15       as for example, by back illumination of successive display areas, the selection made by the player from the range of available such selections.

In accordance with conventional practice, as mentioned above, the likelihood of attaining a winning combination is set in relation to a desired overall award level for the machine. In particular, where a win results in,  
20       or makes available to the player, a payout, the machine may be set for a desired payout percentage i.e. the percentage of credit put in by players which is returned as win payouts.

The arrangement is preferably such that a control system of the machine determines win likelihood in relation to the player-selected win mode and the player-selected stake enhancement, and an indication of the likelihood may be given to the player with an appropriate visual display.

In this way, the player can chose the risk which he wishes to take in pursuance of higher awards, and this is selected accordingly by the player by appropriate selection of the win mode and stake enhancement.

Indication of likelihood can be given by numerical indications alongside displayed win mode and stake enhancement selections. Alternatively or additionally, there may be a display which shows a resultant computed indication. Conveniently, the likelihood may be indicated in terms of variation in stake value.

In correspondence with pursuance of higher risks, as mentioned, the win likelihood may decrease. The overall award level, e.g. payout percentage, may be maintained irrespective of selection of win mode and stake enhancement.

Alternatively and preferably however the award level may be varied and, in particular, win likelihood may be decreased, and the payout percentage or other award level may be increased.

A visual display, for example in the form of a numerical display may be provided to indicate the current award level.

In accordance with conventional practice award level, such as percentage payout is maintained by influencing generation of winning combinations and/or game features which increase likelihood of winning.

5       The invention will now be described further by way of example only  
an with reference to the accompanying drawings in which:-

Fig. 1       is a diagrammatic representation of one form of a machine  
according to the invention;

Fig. 2       is a diagrammatic view of part of a display of the machine; and

Fig. 3       is a block circuit diagram of the machine.

10       Referring to the drawings, these show a fruit machine having a floor-  
standing box shaped housing 1 having a front wall which includes upper  
and lower glass panels 2, 3, a number of operating buttons 4, 5, 6a, 6b, a  
coin slot 7 and a payout opening 8.

15       Within the housing 1 there are three axially aligned reels 9 having say  
20 symbols at regularly spaced positions around their peripheries. The reels  
9 are axially rotatable and are drivably connected to respective stepper  
motors 10. The reels 9 are arranged behind a window 11 defined by a  
printed region of the lower glass panel 3. Each reel 9 can be arrested by  
the respective stepper motor 10 in any of 20 stopping positions in which  
20       one symbol is in precise registration with a horizontal win line 11a in the  
centre of the window 11 and two further symbols are visible above and  
below the win line. The three reels therefore display a matrix of 3x3

symbols in three columns (i.e. the three reels) and three rows (across the three reels).

The stepper motors 10 are connected to a microprocessor-based control unit 12. This unit is also connected to a coin-mechanism 13, a payout mechanism 14 and the buttons 4, 5, 6.

In use, the player inserts coins into the coin mechanism 13 through the slot 7 sufficient to generate credit for one or more games, and the machine is actuated so that a game can now be played. The game commences after a start button 4 has been pressed and the reels 9 spin and then come to rest at random (or pseudo random) so as to select a combination of symbols displayed on the win line. The displayed symbol combination is assessed by the control unit 12 and a win indication is given in the event that the combination is of a predetermined winning nature, as discussed in more detail hereinafter.

The control buttons 5 can be used to perform 'hold' or 'nudge' functions, when made available to the player, so that the player can seek to influence the outcome of a game, in conventional manner.

The buttons 6a, 6b are used to influence win possibilities as described hereinafter.

The upper panel 2 is a transparent glass panel having a display region 15, which can be back-illuminated with a bank of lamps 16, and which provides a supplementary game feature. In conventional manner, play can

transfer from the reels 9 to the display region 15 for example when a transfer symbol appears in the window 11.

Alongside the window 11 on the lower glass panel there are two ladder displays 17, 18 respectively above the two buttons 6a, 6b. Each ladder display comprises areas which can be back illuminated with lamps 19 connected to the control system 12.

There are also two adjacent digital LED displays 20, 21 connected to the control system.

At the start of a game, a stake value for the game is shown on the LED display 20. This may be say 20p.

The player has the option of increasing this by pressing the button 6b. Each time the button is pressed, the next area of the ladder 18 is illuminated and a respective stake multiplication factor is selected (x1, x2, x3, x5 or x10). The numerical value on the display 20 is appropriately changed. Thus, if x2 is selected, the display will change from 20p to 40p.

The player also has the opportunity of selecting the win mode using the button 6a. Each time the button 6a is pressed the next area of the ladder 17 is illuminated. The areas represent selection respectively of 1, 3, 5 pay lines, 27 win ways, and 27 win ways plus losing game awards and feature entry.

The 1, 3, 5 pay line options relate to the 5 possible win lines on the 3x3 matrix (three horizontal and two diagonal) utilising all three reels. The

player can select 1 line, which means that only the symbol combination on the win line 11a is assessed. The player can also select 3 or 5 pay lines whereby combinations on all of these lines are assessed. If the 27 win ways option is selected, all 27 symbol combinations are assessed; and, with  
5 the highest selection, it is also possible to obtain other wins such as transfer to the feature game and losing game awards.

If the player selects the lowest win mode i.e. the one win line 11a, the LED display shows the stake value as mentioned above e.g. 20p multiplied by the selected multiplication factor.

10 If the player selects one of the higher win modes this gives more ways of winning and it is therefore necessary to reduce the effective stake value so that payout percentage will remain within predetermined acceptable limits having regard to the increased likelihood of winning due to the selection of the higher win mode. The effective stake value is shown  
15 on the LED display 20.

The effective stake value is computed as a function of a predetermined weighting value for the selected stake multiplication factor multiplied by a predetermined weighting value for the selected game mode. Suitable values are shown in Fig. 2 alongside the ladder areas by way of  
20 example, although in practice these would not be displayed to the player.

The other LED display 21 shows a numerical value for the current payout percentage which may be 80-90% or higher. This percentage is

normally set at a fixed value. However, it may be increased, by way of encouragement to the player with increase in stake value.

With the above arrangement the player is given an increase opportunity to participate in the operation of the machine and, in particular, by operating the two buttons 6a, 6b, the player can chose the level of reward, and consequently the level of risk, which he requires.

It is of course to be understood that the invention is not intended to be restricted to the details of the above embodiment which are described by way of example only.

**CLAIMS**

1. A coin-operated entertainment machine which is operable by a player to play a game in which a combination of symbols is selected and displayed at a win zone, and a win indication is given in the event that an outcome of said game is of a predetermined winning nature, said win indication including an evaluation of a win award in relation to a stake made for the said game, characterised by the provision of player controls operable to select independently, from respective ranges thereof, a stake enhancement factor and a game win mode.

2. An entertainment machine according to claim 1, wherein the symbols are selected and displayed in a matrix which comprises a plurality of rows and columns whereby the said selection of a game win mode includes a selection of ways in which symbol combinations are assessed for win evaluation purposes within the said matrix.

3. An entertainment machine according to claim 2, wherein the player is given the opportunity of determining which line(s) or other arrangements of said symbols are taken into account.

4. An entertainment machine according to claim 2 or claim 3, wherein the matrix is a 3x3 matrix of displayed symbols which comprises up to 5 lines (three across and two diagonal) which are used as win lines.

5. An entertainment machine according to claim 4, wherein the player has the option of selecting all combinations of three symbols taken one from each column in the 3x3 matrix.
6. An entertainment machine according to claim 2 or claim 3, wherein  
5 the matrix is a 4x3 matrix.
7. An entertainment machine according to any preceding claim, wherein the said selection of game win mode comprises the selection of a game win mode determined by the presence of special symbols.
8. An entertainment machine according to any preceding claim, wherein  
10 the player is given the opportunity of selecting availability of a game win mode not related to displayed symbol combinations, including losing game awards.
9. An entertainment machine according to claim 8 wherein the game win mode is related to losing game awards.
- 15 10. An entertainment machine according to claim 1, wherein the player control of the stake enhancement factor is operable to select a numerical multiplier.
11. An entertainment machine according to claim 10, wherein the numerical multiplier is selectable from a plurality of multiplication values.
- 20 12. An entertainment machine according to any claim 10 or 11, wherein the numerical multiplier is applied to all wins.

13. An entertainment machine according to claim 10 or 11, wherein the numerical multiplier is applied only to selected wins.

14. An entertainment machine according to any preceding claim, wherein the said player controls consist of physically separate controls whereby one  
5 player control operates the game win mode and another player control operates the stake enhancement factor.

15. An entertainment machine according to any one of claims 1 to 13, wherein the said player controls is a single control which is operable in independent states respectively relating to the game win mode and stake  
10 enhancement factor.

16. An entertainment machine according to any preceding claim, wherein the player controls are made wholly available at the start of every game.

17. An entertainment machine according to any one of claims 1 to 15, wherein the player controls are only available after a game has started.

15 18. An entertainment machine according to any one of claims 1 to 15, wherein the player controls are only available in some games.

19. An entertainment machine according to any one of claims 1 to 15, wherein the player controls are only partially available during a game, whereby only  
20 one of the game win mode and stake enhancement factor is available for selection.

20. An entertainment machine according to any preceding claim, wherein the selection of game win mode and stake enhancement factor is applied to all of the available stake or credit.

5 21. An entertainment machine according to any one of claims 1 to 19, wherein the selection of game win mode and stake enhancement factor is applied to only a part of the available stake or credit.

22. An entertainment machine according to any preceding claim, wherein the machine is provided with an appropriate visual display which indicates the selection of game win mode and stake enhancement factor made by the  
10 player from the range of available said selections.

23. An entertainment machine according to any preceding claim, wherein the machine is set for a desired payout percentage.

24. An entertainment machine according to any preceding claim, wherein the machine has a control system which determines a win likelihood in  
15 relation to the player selected game win mode and the player selected stake enhancement factor, and an indication of the likelihood is given to the player with an appropriate visual display.

25. An entertainment machine according to claim 24, wherein an indication of win likelihood is given by numerical indications alongside  
20 displayed game win mode and stake enhancement factor selections.

26. An entertainment machine according to claim 25, wherein the

indication of win likelihood comprises a display showing a resultant computed indication of the win likelihood.

27. An entertainment machine according to claim 25, wherein the indication of win likelihood is illustrated to the player in terms of variation in stake value.

28. An entertainment machine according to any one of claims 23 to 27, wherein the payout percentage and win likelihood is varied.

29. An entertainment machine according to any one of claims 23 to 28, wherein the current payout percentage and win likelihood is provided in the form of a numerical display.

30. An entertainment machine substantially as hereinbefore described with reference to and as illustrated in the accompanying drawings.



# The Patent Office

17

Application No: GB 9717053.4  
Claims searched: all

Examiner: Claire L Williams  
Date of search: 10 November 1998

## Patents Act 1977 Search Report under Section 17

### Databases searched:

UK Patent Office collections, including GB, EP, WO & US patent specifications, in:

UK Cl (Ed.P): G4V (VAA, VBK)

Int Cl (Ed.6): G07F 17/32, 17/34

Other: ONLINE:WPI

### Documents considered to be relevant:

Category	Identity of document and relevant passage	Relevant to claims
A	GB 2226907 A (BELL FRUIT MACHINE CO) whole document	
A	GB 2222712 A (BARCREST LTD) whole document	

X	Document indicating lack of novelty or inventive step	A	Document indicating technological background and/or state of the art.
Y	Document indicating lack of inventive step if combined with one or more other documents of same category.	P	Document published on or after the declared priority date but before the filing date of this invention.
&	Member of the same patent family	E	Patent document published on or after, but with priority date earlier than, the filing date of this application.

**This Page is Inserted by IFW Indexing and Scanning  
Operations and is not part of the Official Record**

**BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☒ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☐ **FADED TEXT OR DRAWING**
- ☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☐ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER:** \_\_\_\_\_

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.**